

This Laser Product is designated as Class 3R during all procedures of Operation.

- Wavelength: 650nm
- Laser Power for classification: <5mW CW

LASER LIGHT - AVOID DIRECT EYE EXPOSURE

CAUTION - use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

DO NOT POINT LASER OR ALLOW LASER LIGHT TO BE DIRECTED OR REFLECTED TOWARD OTHER PEOPLE OR REFLECTIVE OBJECTS. USE CAUTION AROUND FACE AND EYES.

IMPORTANT WARNINGS

Night hunting with artificial light may be prohibited or restricted in your state. Please check your state's game laws for clarification.

FAILURE TO READ AND FOLLOW THESE OPERATING INSTRUCTIONS AND WARNINGS WHEN HANDLING A FIREARM OR THIS PRODUCT CAN BE DANGEROUS AND CAN RESULT IN SERIOUS INJURY, DAMAGE TO PROPERTY, OR DEATH.

- Use of a firearm under any circumstance may be dangerous. SERIOUS INJURY OR EVEN DEATH may result without proper training in the safe handling of firearms. Proper training should be obtained from an accredited firearms safety program conducted by competent, qualified instructors in the military, police academies or National Rifle Association affiliated instruction programs.
- Read your firearm's manual before attaching your gun mounted light.
- Never point a firearm at something you are not willing to destroy.
- iPROTEC recommends that this product should only be activated with the non-trigger hand while employing a two-hand grip on the firearm and with the trigger finger outside the trigger guard when possible. Failure to do so could result in an accidental discharge and serious injury, damage to property, or death.
- Thoroughly practice (employing safe training conditions) with this item and firearm before using the weapon in a tactical situation.

BEFORE ATTACHING, INSPECTING OR SERVICING A FIREARM-MOUNTED LIGHT/LASER

1. Engage the safety on the firearm if applicable.
2. Remove the magazine from the firearm if applicable.
3. Open the action and inspect the chamber to be sure it is empty.

IT IS IMPERATIVE THAT SAFETY MEASURES BE EMPLOYED AT ALL TIMES WHILE HANDLING THE FIREARM.

MAINTENANCE

If the laser stops working, replace the batteries as shown.
A drop of 3-in-1 oil on the mounting hinge can be added to ease movement.

There is no other scheduled maintenance or service that can be performed by the user. Other than battery replacement, this product must not be opened or modified by the user. If any repair or service is required, please return the product to Alliance Sports Group in accordance with the product warranty.

BATTERIES

WARNING: FIRE, EXPLOSION, BURN HAZARD.

USE ONLY: USE only AAA Alkaline Battery. Use of other batteries or mixing of used and new or different brand batteries may result in leakage, fire or explosion and serious personal injury. **DO NOT** recharge, misuse, short circuit, improperly store or discard, disassemble, or heat above 212°F (100°C). Keep away from children.

USE ONLY THOSE BATTERIES SPECIFICALLY RECOMMENDED FOR USE IN THIS PRODUCT.

WARNINGS AND LABELS



Laser Aperture



iPROTEC® LG110_{LR}

110 LUMEN LED LIGHT & LASER
WITH UNIVERSAL LONG GUN MOUNT

USER MANUAL
ITEM# 6105

BATTERY INSTALLATION


1. To open battery compartment, unscrew (counter-clockwise) the end cap/pressure switch end cap.
2. Remove battery cartridge.
3. Remove old batteries and dispose of properly. Insert new batteries making sure that the negative end (-) is facing the spring. LG110LR is powered by 3 AAA batteries.
4. Reinsert battery cartridge into flashlight. Make sure battery cartridge is facing the correct direction as shown.
5. Reattach end cap/pressure switch end cap by turning clockwise.



MOUNTING INSTRUCTIONS

Caution: Make sure that the firearm has the safety on and is unloaded to avoid misfiring.

1. Select a location on your long gun that will not interfere with its intended use of operation.
2. Place the two halves of the mount on either side of the barrel and flashlight.
3. Tighten the mount onto the barrel and flashlight using the latch of the mount.
4. Set the latch of the mount in the locked position and test your flashlight for functionality.



ACCESSORY RAIL MOUNT

Universal Mount has a patented accessory rail mount system for attaching additional firearm accessories.

The accessory rail mount gives you the ability to mix and match your favorite light and laser accessories. Accessory rail mount measures 18mm x 24mm.

#6081 iPROTEC® Red Laser Firearm Sight shown (not included)

Visit www.iprotec.com to see all compatible iPROTEC® products.

STANDARD END CAP

A standard end cap is provided for normal flashlight use.




HIGH: 110 LUMENS

Click the Side Button 1 time for 110 lumens of white light.
Run Time: 7.5 Hours / Viewing Distance: 50 Meters



RED LASER

From the previous mode, click the side button for red laser.
Run Time: 47.5 Hours / Viewing Distance: 412 Meters



LIGHT & LASER

From the previous mode, click the side button for light and laser.
Run Time: 6.5 Hours / Light Distance: 50 Meters
Laser Distance: 412 Meters



DEFENSIVE STROBE

From the previous mode, click the side button for Defensive Strobe Mode.
Run Time: 6.75 Hours / Viewing Distance: 50 Meters

PRESSURE SWITCH

For remote operation, the pressure switch uses a momentary button to activate the light modes.

- 1 **ACTIVATION:** The pressure switch activates the light mode that you intend to use. Note: Light mode will only activate when pressure is applied to the button.
- 2 **NAVIGATION:** The side button of the flashlight is used to navigate through the different light modes.

To navigate lighting modes with the pressure switch, press (1) momentary button to activate then press the (2) side button to cycle through the lighting modes.



QUALITY GUARANTEE

This product is guaranteed against all defects in workmanship and materials for the original owner for one year from the date of purchase. Damage to or failure of the flashlight or any component thereof due to alteration, misuse, battery leakage or lack of maintenance will void any and all guarantees. Damage by leakage of batteries should be taken up with the manufacturer of the battery using their damage claim instructions. For any additional information call 1-800-255-6061.

WARNING

AVOID EYE INJURY: Do not stare directly into beam or shine it directly into anyone's face. Doing so for more than a few seconds could cause retinal damage. Do not allow children to use LED lights unless under the supervision of an adult.

CAUTION

Do not mix old and new batteries. Do not mix alkaline, standard (carbon-zinc), or rechargeable (NiCad or NiMH) batteries. Do not use rechargeable or reusable alkaline batteries. Dispose of old batteries properly.

U.S. Patents: D 657,840 and D 659,869 S

All copyrighted and copyrightable materials, including, without limitation, the logo, design, text, graphics, pictures, copywriting and the selection and arrangement ("Materials") thereof are ALL RIGHTS RESERVED Copyright © 2018 Alliance Sports Group.

The Exporting or Re-Exporting of U.S. Controlled items without proper approval from the U.S. State or Commerce Departments is strictly prohibited.