1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	FL GREEN 0000160668 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification		
Classification of the substance or n		
Flammable Aerosols 1	H222 Extremely flammable aer	
Gases under Pressure - Liquefied gas	H280 Contains gas under press	
Toxic to Reproduction 1B	H360 May damage fertility or th	
Specific Target Organ Toxicity - Single		
Additional information:	ted Exposure 2 H373 May cause damage to org	gans mough proionged or repeated exposure.
GHS Hazard pictograms	$\land \land \land \land$	
	$\langle \underline{0} \rangle \langle \underline{-} \rangle \langle \underline{1} \rangle \langle \underline{0} \rangle$	
	GHS02 GHS04 GHS07 GHS08	
Signal word	Danger	
Hazard statements	Extremely flammable aerosol. Contains gas under pressure; may explode if h	neated
	May damage fertility or the unborn child.	
	May cause respiratory irritation.	
Procentionary statements	May cause damage to organs through prolonge Obtain special instructions before use.	ed or repeated exposure.
Precautionary statements	Keep away from heat/sparks/open flames/hot s	surfaces No smoking.
	Do not spray on an open flame or other ignition	n source.
	Pressurized container: Do not pierce or burn, e	even after use.
	Do not breathe dust/fume/gas/mist/vapors/spra Use only outdoors or in a well-ventilated area.	ay.
	IF INHALED: Remove person to fresh air and k	keep comfortable for breathing.
	Call a poison center/doctor if you feel unwell.	ũ
	Store in a well-ventilated place. Store locked up.	
	Protect from sunlight. Do not expose to temper	ratures exceeding 50°C/122°F.
	Dispose of contents/container in accordance w	ith local/regional/national/international regulations.

3 Composition/information on ingr	edients	
Chemical characterization: Mixtures		
Chemical Description:	This product is a mixture of the substances listed below with nonhazardous additions	S.
Dangerous components:		
64742-89-8 VM&P Naphtha		15-25%
74-98-6 propane		10-15%
1317-65-3 Calcium Carbonate		5-10%
106-97-8 n-butane		5-10%
108-88-3 Toluene		1-5%
64742-47-8 Mineral Spirits		1-5%
4 First-aid measures		
After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and effects: Indication of any immediate medical attention needed:	Dizziness	
5 Fire-fighting measures Extinguishing agents: Special hazards:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	(Contd. on page 2)

Printing date 01/04/2023

F

L

Revised On 01/04/2023

Page 2/4

Printing date 01/04/2023	Revised On 01/04/2023	
Trade name: FL GREEN		
Protective equipment for firefighters:	(Contd. of page 1) A respiratory protective device may be necessary.	
6 Accidental release measures		
Personal precautions, protective equipment and emergency procedures: Methods and material for	Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.	
containment and cleaning up:	Ensure adequate ventilation. Dispose contaminated material as waste according to section 13.	
7 Handling and storage		
Precautions for safe handling Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.	
8 Exposure controls/personal pr	otection	
	t require monitoring at the workplace:	
74-98-6 propane		
PEL (USA) Long-term value: 1800 r REL (USA) Long-term value: 1800 r TLV (USA) see Appendix F Minimal	ng/m³, 1000 ppm	
106-97-8 n-butane		
REL (USA) Long-term value: 1900 r TLV (USA) Short-term value: 1000 ((EX)		
108-88-3 Toluene		
PEL (USA) Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift		
REL (USA) Short-term value: 560 m Long-term value: 375 m TLV (USA) Long-term value: 20 ppr	REL (USA) Short-term value: 560 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm	
BEI, OTO, A4		
Ingredients with biological limit va 108-88-3 Toluene		
BEI (USA) 0.02 mg/L Medium: blood Time: prior to last shift of Parameter: Toluene	f workweek	
0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene		
0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with	n hydrolysis (background)	
Hygienic protection: Breathing equipment: Hand protection:	Keep away from foodstuffs and animal feed. Wash hands after use. Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine. Nitrile gloves. The glove material must be impermeable and resistant to the substance.	
Eye protection:	Tightly sealed goggles	
9 Physical and chemical properties Appearance: Aerosol.		

Trade name: FL GREEN		
Odor: Odor threshold:	Aromatic Not determined.	
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44 °C (-47.2 °F)	
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %	
Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/wate	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. er: Not determined.	
Solubility: Viscosity: Water:	Not determined. Not determined. 33.5 %	
10 Stability and reactivity		
Reactivity: Conditions to avoid:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.	
Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Not ['] fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.	
11 Toxicological information		
Information on toxicological effects Skin effects: Eye effects: Sensitization:	s: No data available. Irritant to skin and mucous membranes. No irritating effect. No sensitizing effects known.	
12 Ecological information Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated	
Bioaccumulative potential: Mobility in soil: Other adverse effects:	solvents. No further relevant information available. No further relevant information available. No further relevant information available.	
13 Disposal considerations Dispose of in accordance with local, s disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent:	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.	
14 Transport information		
UN-Number DOT DOT	UN1950 UN1950 UN1950 Aerosols, flammable	
ADR Transport hazard class(es): Class Mosine mellutents	1950 Aerosols 2.1 Gases	
Marine pollutant: Special precautions for user: EMS Number:	No Warning: Gases F-D,S-U	
Packaging Group:		

Safety Data Sheet

Printing date 01/04/2023

Revised On 01/04/2023

Trade	name:	FL GREEN	

UN "Model Regulation":

UN1950, Aerosols, 2.1

(Contd. of page 3)

-			
15 Regulatory information			
SARA Section 355 (extremely hazardous substances):			
None of the ingredients in this product are listed.			
SARA Section 313 (Specific toxic of	SARA Section 313 (Specific toxic chemical listings):		
108-88-3 Toluene			
Toxic Substances Control Act (TSCA): Canadian Domestic Substances Li	All hazardous ingredients are found on the inventory list of substances.		
(DSL): Consumer Product Safety Comission (CPSC):	All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.		
California Proposition 65 chemica			
None of the ingredients in this product are listed.			
Prop 65 chemicals known to cause birth defects or reproductive harm:			
108-88-3 Toluene			
EPA:			
None of the ingredients is listed.			
16 Other information			
Contact:	Regulatory Affairs		