## 1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	INVERTED TIP WHITE 0000200652 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification		
Classification of the substance or n	nixture	
Flammable Aerosols 1	H222 Extremely flammable aeros	sol.
Gases under Pressure - Liquefied gas	H280 Contains gas under pressu	re; may explode if heated.
Carcinogenicity 2	H351 Suspected of causing canc	er. Route of exposure: Inhalation.
Specific Target Organ Toxicity - Single	e Exposure 3 H335 May cause respiratory irrita	ition.
Additional information:	ated Exposure 2 H373 May cause damage to orga	ins through prolonged or repeated exposure.
GHS Hazard pictograms		
	$\vee$ $\vee$ $\vee$ $\vee$	
	GHS02 GHS04 GHS07 GHS08	
Signal word	Danger	
Hazard statements	Extremely flammable aerosol. Contains gas under pressure; may explode if hea	atod
	Suspected of causing cancer. Route of exposure	: Inhalation.
	May cause respiratory irritation.	
	May cause damage to organs through prolonged	or repeated exposure.
Precautionary statements	Obtain special instructions before use. Keep away from heat/sparks/open flames/hot su	rfaces - No smoking
	Do not spray on an open flame or other ignition s	source.
	Pressurized container: Do not pierce or burn, eve	en after use.
	Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area.	
	IF INHALED: Remove person to fresh air and ke	ep comfortable for breathing.
	Call a poison center/doctor if you feel unwell.	
	Store locked up.	
	Protect from sunlight. Do not expose to temperat Dispose of contents/container in accordance with	n local/regional/national/international regulations.
		<u> </u>

## 3 Composition/information on ingredients Chemical characterization: Mixtures

Chemical characterization: Mixtures Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.			
	Dangerous components:		
64742-89-8	VM&P Naphtha		15-25%
74-98-6	propane		15-25%
1317-65-3	Calcium Carbonate		10-15%
106-97-8	n-butane		10-15%
13463-67-7	titanium dioxide		1-5%
64742-47-8	Mineral Spirits		1-5%

4 First-aid measures		
After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medical attention needed:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.	
5 Fire-fighting measures		
Extinguishing agents: Special hazards:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	(Contd. on page 2)

Page 2/3

Protective equipment for firefighters:	(Contd. of pag A respiratory protective device may be necessary.
irrengiters:	A respiratory protective device may be necessary.
Accidental release measures	
Personal precautions, protective equipment and emergency	
procedures: Use respiratory protective device against the effects of fumes/dust/aerosol.	
Methods and material for containment and cleaning up:	Absorb liquid components with liquid-binding material.
7 Handling and storage Precautions for safe handling	Use only in well ventilated areas.
Storage requirements:	Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditio Store locked up.
B Exposure controls/personal prote	ection
Components with limit values that re	
74-98-6 propane	
PEL (USA) Long-term value: 1800 mg REL (USA) Long-term value: 1800 mg	
TLV (USA) see Appendix F Minimal ox	
106-97-8 n-butane	<b>,                                    </b>
REL (USA) Long-term value: 1900 mg	
TLV (USA) Short-term value: 1000 ppr (EX)	n
Hygienic protection:	Wash hands after use. Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas.
<b>C</b>	cases where short and/or long term overexposure exists, a NIOSH approved respirator should worn. If you suspect overexposure conditions exist, please consult an authority on chemi
	hygiene.
Hand protection:	Nitrile gloves. The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles
Physical and chemical properties	
Appearance: Odor:	Aerosol. Aromatic
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range Boiling point:	Undetermined. -44 °C (-47.2 °F)
Flash point:	-19 °C (-2.2 °F)
Flammability (solid, gas):	Extremely flammable.
	Extremely naminable.
Decomposition temperature:	Not determined.
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol %
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00)
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined. Not determined. Not determined.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined. Not determined. Not determined. Not determined.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined. Not determined. Not determined.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined. Not determined. Not determined. Not determined.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity: Water: D Stability and reactivity Reactivity:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. : Not determined. Not determined. Not determined. 26.6 % Stable at normal temperatures.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity: Water: D Stability and reactivity	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. : Not determined. Not determined. Not determined. 26.6 % Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezi
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity: Water: D Stability and reactivity Reactivity: Conditions to avoid: Chemical stability:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not determined. Not determined. Not determined. 26.6 % Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezi temperatures. Not fully evaluated.
Decomposition temperature: Auto igniting: Danger of explosion: Lower Explosion Limit: Upper Explosion Limit: Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water Solubility: Viscosity: Water: D Stability and reactivity Reactivity: Conditions to avoid:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. Not determined. Not determined. Not determined. 26.6 % Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezi temperatures.

Safety Data Sheet

Printing date 01/15/2024

Revised On 01/15/2024

Trade name: INVERTED TIP WHITE	Revised On 01/15/2024
Hazardous decomposition:	No dangerous decomposition products known. (Contd. of page 2)
11 Toxicological information	
LD/LC50 values that are relevant fo	r classification:
13463-67-7 titanium dioxide	
Oral LD50 >20,000 mg/kg (	
Dermal LD50 >10,000 mg/kg (	rbt)
Inhalative LC50/4 h >6.82 mg/l (rat)	. Na data availabla
Information on toxicological effects Skin effects:	No data available.
Eye effects:	No irritating effect.
Sensitization:	No sensitizing effects known.
12 Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability: Other information:	The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents.
Bioaccumulative potential: Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available. No further relevant information available.
13 Disposal considerations	tete and federal mondations. Demotions the incident to service the Detticity montains and the
dispose of in accordance with local, s	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be or cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
Recommended cleansing agent:	Water, if necessary with cleansing agents.
14 Transport information	
14 Transport information UN-Number	UN1950
DOT	UN1950
DOT	Aerosols, flammable
ADR Transport hazard class(es):	1950 Aerosols
Class	2.1 Gases
Special precautions for user: EMS Number:	Warning: Gases F-D,S-U
Packaging Group:	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1
15 Regulatory information	
SARA Section 355 (extremely hazar	dous substances):
None of the ingredients in this product	
SARA Section 313 (Specific toxic cl	
None of the ingredients is listed.	······································
Toxic Substances Control Act	
(TSCA):	All hazardous ingredients are found on the inventory list of substances.
Canadian Domestic Substances Lis (DSL):	All ingredients are listed or exempted.
Consumer Product Safety	
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemicals	s known to cause cancer:
13463-67-7 titanium dioxide 100-41-4 ethyl benzene	
	kinth defects on neuroductive horms.
Prop 65 chemicals known to cause None of the ingredients is listed.	birth defects or reproductive harm:
EPA:	
None of the ingredients is listed.	
16 Other information	
Contact:	Regulatory Affairs
-ontaot.	