Revised On 01/25/2024

Page 1/4

1 Identification of the substance and manufacturer

GRAFFITI REMOVER

Product code:0000200047Recommended use:Paint and coatings application.Uses advised against:Any that differs from the recommended use
--

2 Hazard(s) identification

Classification of the substance or n	nixture	
Flammable Aerosols 1	H222	Extremely flammable aerosol.
Gases under Pressure - Liquefied gas	H280	Contains gas under pressure; may explode if heated.
Skin Irritation 2	H315	Causes skin irritation.
Eye Damage 1	H318	Causes serious eye damage.
Sensitization - Skin 1	H317	May cause an allergic skin reaction.
Toxic to Reproduction 1B	H360	May damage fertility or the unborn child.
Specific Target Organ Toxicity - Single	e Exposure 3 H335-H33	6 May cause respiratory irritation. May cause drowsiness or dizziness.
Additional information:		
GHS Hazard pictograms		
	$\forall \vee \vee$	
	GHS02 GHS04 GHS0	5 GHS07 GHS08
Signal word	Danger	
Hazard statements	Extremely flammable	
	Causes skin irritation.	essure; may explode if heated.
	Causes serious eye da	amage.
	May cause an allergic	skin reaction.
	May damage fertility o	r the unborn child. Tirritation. May cause drowsiness or dizziness.
Precautionary statements	Obtain special instruct	
······	Keep away from heat/	sparks/open flames/hot surfaces No smoking.
	Do not spray on an op	en flame or other ignition source.
	Wash thoroughly after	Do not pierce or burn, even after use.
	Use only outdoors or i	n a well-ventilated area.
	Wear protective glove	s/protective clothing/eye protection/face protection.
		person to fresh air and keep comfortable for breathing.
	Immediately call a poi	ously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue r	
	Specific treatment (se	e on ťhis label).
		octor if you feél unwell.
	Store in a well-ventilat	l clothing and wash it before reuse. ed place
	Store locked up.	
	Protect from sunlight.	Do not expose to temperatures exceeding 50°C/122°F.
	Dispose of contents/co	ontainer in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients		
Chemical characterization: Mixtures Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.		
Dangerous components:		
67-64-1	Acetone	25-50%
872-50-4 I	N-methyl-2-pyrrolidone	15-25%
74-98-6	propane	10-15%
106-97-8	n-butane	5-10%
97-64-3	ethyl lactate	5-10%
5989-27-5	d-limonene	1-5%
4 First-aid m	neasures	

4 First-alu measures	
After inhalation:	Supply fresh air and to be sure call for a doctor. If breathing is difficult, administer oxygen. Supply fresh air; consult doctor in case of complaints.
After skin contact: After eye contact: After swallowing: Most important symptoms and	Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse mouth with water. Do not induce vomiting.
effects:	Dizziness (Contd. on page 2)

Printing date 01/25/2024

Page 2/4

ade name: GRAF		
Indication of a	iny immediate medica	(Contd. of page
attention need	led:	No further relevant information available.
5 Fire-fighting	measures	
Extinguishing	agents:	CO2, extinguishing powder or water spray. Fight larger fires with water spray.
Special hazards: Protective equipment for		Can form explosive gas-air mixtures.
firefighters:		A respiratory protective device may be necessary.
Accidental r	elease measures	
	autions, protective	
equipment and		
procedures: Methods and i	material for	Use respiratory protective device against the effects of fumes/dust/aerosol.
	ind cleaning up:	Dispose contaminated material as waste according to section 13.
7 Handling and	d storage	
	or safe handling	Use only in well ventilated areas.
Storage requir		Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition Store locked up.
<mark>8 Exposure co</mark>	ntrols/personal prot	rection
		equire monitoring at the workplace:
67-64-1 Aceto		4000
	_ong-term value: 2400 r _ong-term value: 590 m	
Long-term value: 250 ppm		
1	A4, BEI	
/ 872-50-4 N-me	44, BEI ethyl-2-pyrrolidone BEI	
872-50-4 N-me TLV (USA) E WEEL (USA) I	4, BEI ≇ thyl-2-pyrrolidone	
872-50-4 N-me TLV (USA) [WEEL (USA)] 74-98-6 propa	44, BEI e thyl-2-pyrrolidone BEI ∟ong-term value: 10 ppr Skin ne	n
872-50-4 N-me TLV (USA) [WEEL (USA)] 74-98-6 propa	A4, BEI e thyl-2-pyrrolidone BEI _ong-term value: 10 ppr Skin ne _ong-term value: 1800 r	n ng/m³, 1000 ppm
872-50-4 N-me TLV (USA) WEEL (USA) 74-98-6 propat PEL (USA) REL (USA)	A4, BEI e thyI-2-pyrrolidone BEI _ong-term value: 10 ppr Skin ne _ong-term value: 1800 r _ong-term value: 1800 r	n ng/m³, 1000 ppm ng/m³, 1000 ppm
872-50-4 N-me TLV (USA) WEEL (USA) 74-98-6 propat PEL (USA) REL (USA) TLV (USA)	A4, BEI ethyl-2-pyrrolidone BEI _ong-term value: 10 ppr Skin ne _ong-term value: 1800 r _ong-term value: 1800 r see Appendix F Minimal	n ng/m³, 1000 ppm
872-50-4 N-me TLV (USA) WEEL (USA) 74-98-6 propat PEL (USA) REL (USA) TLV (USA) Structure 106-97-8 n-but	A4, BEI ethyl-2-pyrrolidone BEI _ong-term value: 10 ppr Skin ne _ong-term value: 1800 r _ong-term value: 1800 r see Appendix F Minimal tane	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX)
872-50-4 N-me TLV (USA) WEEL (USA) PEL (USA) PEL (USA) TLV (USA) I REL (USA) I TLV (USA) REL (USA) I REL (USA) I REL (USA) I IO6-97-8 n-but REL (USA)	A4, BEI athyl-2-pyrrolidone BEI _ong-term value: 10 ppr Skin ne _ong-term value: 1800 r _ong-term value: 1800 r see Appendix F Minimal tane _ong-term value: 1900 r	n ng/m³, 1000 ppm ng/m³, 1000 ppm l oxygen content (D, EX) ng/m³, 800 ppm
872-50-4 N-me TLV (USA) WEEL (USA) PEL (USA) REL (USA) TLV (USA) BREL (USA) TLV (USA) Structure TLV (USA) TLV (USA) TLV (USA) Structure TLV (USA) Structure TLV (USA) REL (USA) TLV (USA)	A4, BEI ethyl-2-pyrrolidone BEI ong-term value: 10 ppr Skin ne ong-term value: 1800 r see Appendix F Minimal tane ong-term value: 1900 r Short-term value: 1000 r (EX)	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) WEEL (USA) PEL (USA) REL (USA) TLV (USA) State 106-97-8 n-but REL (USA) TLV (USA) State 106-97-8 n-but REL (USA) TLV (USA) State Ingredients with	A4, BEI athyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX)	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) WEEL (USA) PEL (USA) REL (USA) TLV (USA) State TLV (USA) REL (USA) TLV (USA) TLV (USA) State TLV (USA) State Ingredients wit 67-64-1 Acetor	A4, BEI athyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit valuent ne	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) WEEL (USA) PEL (USA) REL (USA) TLV (USA) REL (USA) TLV (USA) Structure TLV (USA) TLV (USA) TLV (USA) Ingredients wi 67-64-1 Acetor BEI (USA) Z5	A4, BEI athyl-2-pyrrolidone BEI ong-term value: 10 ppr Skin ne ong-term value: 1800 r see Appendix F Minimal tane ong-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX) th biological limit valu ne mg/L dium: urine	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F REL (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F Ingredients wit F 67-64-1 Acetor BEI (USA) BEI (USA) F	A4, BEI athyl-2-pyrrolidone BEI ong-term value: 10 ppr Skin ne ong-term value: 1800 r see Appendix F Minimal tane ong-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX) th biological limit valu ne mg/L dium: urine he: end of shift	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F Ingredients wi F 67-64-1 Acetor BEI (USA) BEI (USA) F Mea Tim Par F	A4, BEI athyl-2-pyrrolidone BEI ong-term value: 10 ppr Skin ne ong-term value: 1800 r see Appendix F Minimal tane ong-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX) ith biological limit valu ne mg/L dium: urine ne: end of shift ameter: Acetone (nonsp	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but REL (USA) F TLV (USA) F Ingredients wi 67-64-1 Acetor BEI (USA) 25 Mea Tim Par 872-50-4 N-me BEI (USA) 100	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX)	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but REL (USA) F TLV (USA) F TLV (USA) F BEI (USA) F Meter Tim Pare 872-50-4 N-me BEI (USA) 100 Meter 100	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r (EX) th biological limit valuer mg/L dium: urine te: end of shift rameter: Acetone (nonspective) thyl-2-pyrrolidone) mg/L dium: urine	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F PEL (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 06-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) F BEI (USA) 100 Men To Time Par 872-50-4 N-me BEI (USA) BEI (USA) 100 Men Time Time Time BEI (USA) 100 Men Time BEI (USA) 100 Men Time Time Time BEI (USA) 100 Men Time BEI (USA) 100 Men Time BEI (USA) 100 Men <td>A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r</td> <td>n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm ppm</td>	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r	n ng/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) ng/m³, 800 ppm ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 05-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) F BEI (USA) 100 Mee Tim Par BEI (USA)	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) Decific) Decific land contaminated clothing.
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F PEL (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 06-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) F BEI (USA) 100 Men To Time Par 872-50-4 N-me BEI (USA) BEI (USA) 100 Men Time Time Time BEI (USA) 100 Men Time BEI (USA) 100 Men Time Time Time BEI (USA) 100 Men Time BEI (USA) 100 Men Time BEI (USA) 100 Men <td>A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r</td> <td>n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) methyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use.</td>	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) methyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use.
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 06-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) F BEI (USA) 100 Mee Tim Par BEI (USA)	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 r	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) methyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately.
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F TLV (USA) F 106-97-8 n-but F TLV (USA) F TLV (USA) F BEI (USA) F Mea F BEI (USA) F BEI (USA) F Mea F BEI (USA) F Mea F BEI (USA) F Mea F Tim F Par F BEI (USA) F Mea F Tim F Par F Hygienic prote F	A4, BEI athyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit value ne mg/L dium: urine he: end of shift rameter: Acetone (nonspective) hyl-2-pyrrolidone) mg/L dium: urine he: end of shift rameter: 5-Hydroxy-N-meteric pection:	n mg/m³, 1000 ppm mg/m³, 1000 ppm mg/m³, 1000 ppm mg/m³, 800 ppm ppm Jes: Decific) Tethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working.
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 06-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) F BEI (USA) 100 Mee Tim Par BEI (USA)	A4, BEI athyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit value ne mg/L dium: urine he: end of shift rameter: Acetone (nonspective) hyl-2-pyrrolidone) mg/L dium: urine he: end of shift rameter: 5-Hydroxy-N-meteric pection:	n mg/m³, 1000 ppm mg/m³, 1000 ppm gom gom gom gom gom gom gom gom gom go
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F TLV (USA) F 106-97-8 n-but F TLV (USA) F TLV (USA) F BEI (USA) F Mea F BEI (USA) F BEI (USA) F Mea F BEI (USA) F Mea F BEI (USA) F Mea F Tim F Par F BEI (USA) F Mea F Tim F Par F Hygienic prote F	A4, BEI athyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit value ne mg/L dium: urine he: end of shift rameter: Acetone (nonspective) hyl-2-pyrrolidone) mg/L dium: urine he: end of shift rameter: 5-Hydroxy-N-meteric pection:	n mg/m³, 1000 ppm ng/m³, 1000 ppm loxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) Immediately remove all solled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. cases where short and/or long term overexposure exists, a NIOSH approved respirator should
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F PEL (USA) F TLV (USA) F 106-97-8 n-but F REL (USA) F TLV (USA) F 06-97-8 n-but F REL (USA) F TLV (USA) F BEI (USA) F BEI (USA) Mee Tim Par 872-50-4 N-me BEI (USA) BEI (USA) 100 Mee Tim Par Hygienic prote Breathing eque Breathing eque	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit value ne mg/L dium: urine he: end of shift ameter: Acetone (nonspective) ethyl-2-pyrrolidone 0 mg/L dium: urine he: end of shift ameter: 5-Hydroxy-N-m fection: ipment:	n mg/m³, 1000 ppm mg/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm
872-50-4 N-me TLV (USA) F WEEL (USA) F PEL (USA) F PEL (USA) F TLV (USA) F TLV (USA) F 106-97-8 n-but F TLV (USA) F TLV (USA) F 106-97-8 n-but F TLV (USA) F BEI (USA) F Mea F BEI (USA) F BEI (USA) F Mea F BEI (USA) F Mea F BEI (USA) F Mea F Tim F Par F Hygienic prote F	A4, BEI ethyl-2-pyrrolidone BEI Long-term value: 10 ppr Skin ne Long-term value: 1800 r See Appendix F Minimal tane Long-term value: 1900 r Short-term value: 1900 r Short-term value: 1900 r Short-term value: 1000 (EX) th biological limit value ne mg/L dium: urine he: end of shift ameter: Acetone (nonspective) ethyl-2-pyrrolidone 0 mg/L dium: urine he: end of shift ameter: 5-Hydroxy-N-m fection: ipment:	n mg/m³, 1000 ppm ng/m³, 1000 ppm oxygen content (D, EX) mg/m³, 800 ppm ppm Jes: Decific) rethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. cases where short and/or long term overexposure exists, a NIOSH approved respirator should worn. If you suspect overexposure conditions exist, please consult an authority on chemic

Trade name: GRAFFITI REMOVER

Revised On 01/25/2024

(Contd. of page 2)

	(Conta.	
	9 Physical and chemical properties	
	Appearance:	Aerosol.
	Odor:	Aromatic
	Odor threshold:	Not determined.
	pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44.5 °C (-48.1 °F)
	Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.
	Decomposition temperature:	Not determined.
	Auto igniting:	Product is not self-igniting.
	Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.3 Vol % 10.9 Vol %
	Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. : Not determined.
	Solubility: Viscosity: Water:	Not determined. Not determined. 0.4 %
	10 Stability and reactivity	
		Stable at normal temperatures.
	Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.
	Chemical stability: Possibility of hazardous reactions: Incompatible materials:	Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.
	11 Toxicological information	
[11 Toxicological information LD/LC50 values that are relevant for o	classification:
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone	classification:
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat)	classification:
-	LD/LC50 values that are relevant for872-50-4 N-methyl-2-pyrrolidoneOralLD50JoermalLD50B,000 mg/kg (rat)DermalLD508,000 mg/kg (rbt)	
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat)	
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization:	No data available. Irritant to skin and mucous membranes. Irritating effect.
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact.
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons
	LD/LC50 values that are relevant for 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Toxic for fish
	LD/LC50 values that are relevant for a 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects: 13 Disposal considerations Dispose of in accordance with local, stadispose of responsibly. Do not heat or Recommendation:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Toxic for fish
	LD/LC50 values that are relevant for 6 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects: Disposal considerations Dispose of in accordance with local, statisposed of responsibly. Do not heat or Recommendation: Recommended cleansing agent:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Toxic for fish No further relevant information available. And federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be cut empty containers with electric or gas torches. Completely empty cans should be recycled.
	LD/LC50 values that are relevant for a 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects: Dispose of in accordance with local, statispose of responsibly. Do not heat or Recommendation: Recommended cleansing agent:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Mo further relevant information available. No further relevant information available. Mo further
	LD/LC50 values that are relevant for a 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects: 13 Disposal considerations Dispose of in accordance with local, sta disposed of responsibly. Do not heat or Recommendation: Recommended cleansing agent: 14 Transport information UN-Number DOT	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Toxic for fish No further relevant information available. ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950
	LD/LC50 values that are relevant for a 872-50-4 N-methyl-2-pyrrolidone Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt) Information on toxicological effects: Skin effects: Eye effects: Sensitization: 12 Ecological information Aquatic toxicity: Persistence and degradability: Other information: Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects: 13 Disposal considerations Dispose of in accordance with local, sta disposed of responsibly. Do not heat or Recommendation: Recommended cleansing agent: 14 Transport information UN-Number DOT	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact. Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents. No further relevant information available. No further relevant information available. Toxic for fish No further relevant information available. ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950

(Contd. on page 4)

Revised On 01/25/2024

Trade name: GRAFFITI REMOVER

ADR	1950 AEROSOLS	(Contd. of page 3)
Transport hazard class(es): Class Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	2.1 Gases Warning: Gases F-D,S-U UN 1950 AEROSOLS, 2.1	
15 Regulatory information SARA Section 355 (extremely ha	ardous substances):	

SARA Section 355 (extremely hazardous substances).		
None of the ingredients in this product are listed.		
SARA Section 313 (Specific toxic chemical listings):		
872-50-4 N-methyl-2-pyrrolidone		
Toxic Substances Control Act		
(TSCA): All hazardous ingredients are found on the inventory list of substances.		
Canadian Domestic Substances List		
(DSL): All ingredients are listed or exempted.		
Consumer Product Safety		
Comission (CPSC): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.		
California Proposition 65 chemicals known to cause cancer:		
None of the ingredients in this product are listed.		
Prop 65 chemicals known to cause birth defects or reproductive harm:		
872-50-4 N-methyl-2-pyrrolidone		
EPA:		
67-64-1 Acetone		
16 Other information		

Contact:

Regulatory Affairs